


# Commercial Stainless Steel

New collection with previous  
vs new product codes

*Armitage  
Shanks*



Ideal Standard

PART OF THE IDEAL STANDARD GROUP

Designed to perform  
and built to last.



Armitage Shanks' commercial stainless steel collection is designed and manufactured in the UK. Our wide range of products is perfect for heavy duty use in washroom, healthcare, education, laboratory, catering, sports & leisure and secure facility settings.

### Designed to meet healthcare needs

Our stainless steel clinical, plaster and domestic service sinks, scrub-up troughs, as well as janitorial and clinical disposal units, have all been designed to meet the needs of hospital patterns as stipulated in **HBN 0010 (HTM 64)**.

As an added benefit, all our sinks and wall mounted units come complete with fixing brackets - a feature that saves money and time.

All our commercial stainless steel manufacture is fully accredited to ISO 9001.

For further product and specification see our Commercial Stainless Steel range on [IdealSpec.co.uk](http://IdealSpec.co.uk), email [businesssupport@idealstandard.com](mailto:businesssupport@idealstandard.com) or call **01543 413204**.

## Wash & Scrub-up Troughs

### CALDER WASHING TROUGH WITH SPLASHBACK



- New central outlet commercial washing trough in stainless steel available with upstand
- Two position 120cm long, three position 180cm long and four position 240 cm long each with pre-cut mixer taphole positions
- Additional wall tap mounting panel (details available on request)
- Units come complete with with fixing brackets and trap cover

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
120cm long with 2 taphole positions, central outlet and 1 1/2" waste (illustrated)	S2824MY	<b>S1266MY</b>	<a href="#">Learn more</a>
180cm long with 3 taphole positions, central outlet and 1 1/2" waste	S2825MY	<b>S1265MY</b>	<a href="#">Learn more</a>
240cm long with 4 taphole positions, central outlet and 1 1/2" waste	S2826MY	<b>S1264MY</b>	<a href="#">Learn more</a>

### FIRTH SCRUB-UP TROUGH



- Scrub-up trough assembly to meet requirements of **HBN 00-10 HTM64 (SU H)**
- Units available in 80cm, 160cm and 240cm length for 1, 2 or 3 persons
- Complete with 1 1/2" strainer waste, trap cover and earthing terminal
- Each size is available with a left or right handed outlet
- Screw to wall

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
80cm scrub-up trough, left hand outlet strainer waste, trap cover and hangers	S2870MY	<b>S1286MY</b>	<a href="#">Learn more</a>
80cm scrub-up trough, right hand outlet strainer waste, trap cover and hangers	S2872MY	<b>S1285MY</b>	<a href="#">Learn more</a>
160cm scrub-up trough, left hand outlet strainer waste, trap cover and hangers (illustrated)	S2873MY	<b>S1281MY</b>	<a href="#">Learn more</a>
160cm scrub-up trough, right hand outlet strainer waste, trap cover and hangers	S2874MY	<b>S1282MY</b>	<a href="#">Learn more</a>
240cm scrub-up trough, left hand outlet strainer waste, trap cover and hangers	S2876MY	<b>S1283MY</b>	<a href="#">Learn more</a>
240cm scrub-up trough, right hand outlet strainer waste, trap cover and hangers	S2877MY	<b>S1284MY</b>	<a href="#">Learn more</a>

## Sinks & Washbasins

### CLYDE PLASTER SINK WITH STAINLESS STEEL CANTILEVER BRACKETS & STRAINER WASTE



- To meet requirements of **HBN 00-10 HTM64 (PS H)**
- Integral plain top and sump to accommodate strainer and help prevent plaster from blocking the drain
- With earthing terminal
- Available left or right handed
- Units come complete with with cantilever brackets

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Left handed, 120cm x 60cm, no tap holes (illustrated)	S6558MY	<b>S1267MY</b>	<a href="#">Learn more</a>
Right handed, 120cm x 60cm, no tap holes	S6557MY	<b>S1268MY</b>	<a href="#">Learn more</a>

### DEE SLOP HOPPER WITH SINK



- To meet requirements of **HBN 00-10 HTM64 (DU HS)**
- Back inlet or top inlet. No taphole
- Plain top incorporating a sink and a hopper
- Disposal unit assembly
- With earthing terminal
- Available left or right handed
- Screw to wall

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Left handed, 160cm x 60cm, back inlet, no tap holes (illustrated)	S6552MY	<b>S3336MY</b>	<a href="#">Learn more</a>
Right handed, 160cm x 60cm, back inlet, no tap holes	S6551MY	<b>S3335MY</b>	<a href="#">Learn more</a>
Left handed, 160cm x 60cm, top inlet, no tap holes	S6554MY	<b>S3338MY</b>	<a href="#">Learn more</a>
Right handed, 160cm x 60cm, top inlet, no tap holes (illustrated)	S6553MY	<b>S3337MY</b>	<a href="#">Learn more</a>

## Sinks & Washbasins

### DOON SINGLE SINK BOWL WITH DRAINER

- To meet requirements of HBN 00-10 HTM64 (ST A) and HTM63 (ST A) for staff areas
- Single bowl, single drainer stainless steel sink unit
- With earthing terminal
- HBN 00-10 HTM64 (ST A) models available with or without tapholes
- Available left or right handed
- Screw to wall, front legs or mounting on base unit versions available



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Right hand drainer 120cm x 60cm, 2 tapholes at 200mm centres, no overflow (illustrated)	S5926MY	<b>S1244MY</b>	<a href="#">Learn more</a>
Left hand drainer, 120cm x 60cm, 2 tapholes at 200mm centres, no overflow	S5986MY	<b>S1276MY</b>	<a href="#">Learn more</a>
Left hand drainer, 120 x 60cm, no tapholes, no overflow	S5987MY	<b>S1273MY</b>	<a href="#">Learn more</a>
Right hand drainer 120 x 60cm, no tapholes, no overflow	S5985MY	<b>S1275MY</b>	<a href="#">Learn more</a>
Left hand drainer 120 x 65cm 2 tapholes at 200mm centres, no overflow, HTM63 profile (illustrated)	S5990MY	<b>S1272MY</b>	<a href="#">Learn more</a>
Right hand drainer 120 x 65cm 2 tapholes at 200mm centres, no overflow, HTM63 profile	S5988MY	<b>S1280MY</b>	<a href="#">Learn more</a>

### DOON DOUBLE SINK BOWL WITH RIGHT HAND DRAINER

- To meet requirements of HBN 00-10 (ST C)
- Double bowl, single drainer stainless steel sink unit
- With earthing terminal
- No tapholes, no overflow



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Right hand drainer 180 x 60cm, no tapholes, no overflow	S5995MY	<b>S1279MY</b>	<a href="#">Learn more</a>

### DOON SINGLE SINK BOWL WITH DRAINER

- To meet requirements of HBN 00-10 HTM64 (SK 1)
- Domestic services single bowl stainless steel sink, available in 60cm and 65cm depths
- With earthing terminal
- With tapholes as HTM HBN. No taphole option available
- Screw to wall, front legs or mounting on base unit versions available



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Single bowl 60 x 60cm, 2 tapholes, no overflow (illustrated)	S5999MY	<b>S1274MY</b>	<a href="#">Learn more</a>
Single bowl 60 x 60cm, no tapholes, no overflow	S6000MY	<b>S1277MY</b>	<a href="#">Learn more</a>
Single bowl 60 x 65cm, 2 tapholes, no overflow	S6001MY	<b>S1278MY</b>	<a href="#">Learn more</a>

### STEWART SINGLE SINK BOWL

- Single bowl sink, no overflow
- 920mm x 500mm with 2 tapholes at 200mm centres
- Available left or right handed drainer



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Inset stainless steel single bowl sink, no overflow and left hand drainer 920mm x 500mm, 2 tapholes at 200mm centres (illustrated)	S6005MY	<b>S1299MY</b>	<a href="#">Learn more</a>
Inset stainless steel single bowl sink, no overflow and right hand drainer 920mm x 500mm, 2 tapholes at 200mm centres	S6006MY	<b>S1298MY</b>	<a href="#">Learn more</a>

## Sinks & Washbasins

### BERWICK STAINLESS STEEL WASHBASIN

- Inset countertop wash basin with 2 or 1 tap holes
- Self rimming for fixing into countertops with clips provided
- Complete with 1/4" waste pack
- With fixing kit



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
49cm, 2 tap hole, self rimming countertop bowl, 1/4" waste pack and overflow, with fixing kit (illustrated)	S2628MY	<b>S1263MY</b>	<a href="#">Learn more</a>
49cm, 1 tap hole, self rimming countertop bowl, 1/4" waste pack and overflow, with fixing kit	S2619MY	<b>S1308MY</b>	<a href="#">Learn more</a>

### DENHOLM 51CM WASHBASIN

- New style vandal resistant washbasin
- 51cm x 42cm
- Left, right or 2 taphole versions available



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
51cm washbasin with right hand taphole, no overflow, includes 1/4" waste (illustrated)	S2626MY	<b>S1269MY</b>	<a href="#">Learn more</a>
51cm washbasin with two tapholes, combined waste and overflow, includes 1/4" waste	S2625MY	<b>S1270MY</b>	<a href="#">Learn more</a>
51cm washbasin with two tapholes, no overflow, includes 1/4" waste	S2627MY	<b>S1243MY</b>	<a href="#">Learn more</a>
51cm washbasin with left hand taphole, no overflow, includes 1/4" waste	N/A	<b>S1307MY</b>	<a href="#">Learn more</a>

### DENHOLM 51CM WASHBASIN WITH SHROUD

- New style vandal resistant washbasin
- 51cm x 42cm
- Complete with shroud to conceal plumbing fittings
- 2 tap holes with combined chainstay and overflow
- Duct or surface fixing



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
51cm washbasin and full shroud complete with 2 corner tapholes, combined waste and overflow	S2992MY	<b>S1271MY</b>	<a href="#">Learn more</a>

### TROON 2 WASHBASIN

- 39cm countertop washbasin
- Vandal resistant
- Fixing clips provided to allow use as under-countertop washbasin
- Complete with 1/4" waste fitting



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Washbasin 39cm complete with 1/4" waste fitting and fixing clips, no overflow	S2629MY	<b>S1303MY</b>	<a href="#">Learn more</a>

### JANITORIAL SINK UNIT WITH MIXER

- Janitorial unit to meet requirements of HBN 00-10 (JU)
- Incorporating cleaners sink with bucket grating and handrinse basin
- 50cm wide x 57cm projection x 90cm high
- Complete with mixer tap with copper tails, small lever handles to meet DDA requirements
- Tamper proof concealing panel for washbasin trap
- Hinged bucket grating to sink
- Stainless steel legs with adjustable feet
- With earthing terminal



MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Janitorial unit 50cm wide x 57cm projection x 90cm high, complete with mixer tap	S0711MY	<b>S3339MY</b>	<a href="#">Learn more</a>

## Bucket Sinks & Slop Hoppers

### ANGUS CLEANERS SINK BUCKET WITH GRATING & WASTE



- General purpose cleaners' sink
- 50cm x 46cm with 23cm high backhigh splashback and bucket grating
- Manufactured from 18 gauge stainless steel sheet with satin finish
- 1½" integral strainer waste
- With earthing tag
- Anti-vandal

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Sink with splashback back, integral strainer waste and stainless steel bucket grating	S5912MY	<b>S1262MY</b>	<a href="#">Learn more</a>

### CONTOUR 21 BUCKET SINK WITH GRATING



- To meet requirements of HBN 00-10
- Floor standing bucket sink designed for use in cleaners rooms
- Complete with splash back
- 1½" unslotted strainer waste
- Waste included

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Floor standing bucket sink with grating	S0695MY	<b>S3341MY</b>	<a href="#">Learn more</a>

### LEVEN STAINLESS STEEL SLOP HOPPER



- To meet requirements of HBN 00-10 (DU)
- Back inlet version for HTM64 (2006) preference
- Top inlet version also available
- Screw to wall
- With earthing terminal

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Back inlet stainless steel slop hopper	S6567MY	<b>S1290MY</b>	<a href="#">Learn more</a>
Top inlet stainless steel slop hopper	S6568MY	<b>S1291MY</b>	<a href="#">Learn more</a>

### STIRLING SLOP HOPPER



- Combined slop hopper and work surface to meet requirements of HBN 00-10 HTM64 (DU H)
- For the disposal of liquid and solid waste in connection with clinical procedures
- Available with hopper at left or right hand.
- Disposal unit assembly
- Screw to wall

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Left hand back inlet slop hopper with work surface	S6564MY	<b>S1301MY</b>	<a href="#">Learn more</a>
Right hand back inlet slop hopper with work surface (illustrated)	S6563MY	<b>S1300MY</b>	<a href="#">Learn more</a>
Right hand top inlet slop hopper with work surface	S6565MY	<b>S1302MY</b>	<a href="#">Learn more</a>
Left hand top inlet slop hopper with work surface (illustrated)	S6566MY	<b>S1306MY</b>	<a href="#">Learn more</a>

## Other Commercial Stainless Steel


### PURITA DRINKING FOUNTAINS



- Adult height (900mm) & Junior height (700mm) floor mounted pedestal drinking fountain, wall mounted option also available
- Supplied complete with bottle filler
- Tamper resistant pedestal
- 1¼" strainer waste

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Pedestal mounted drinking fountain with self closing valve and fittings, 90cm high, complete with bottle filler (illustrated)	S5452MY	<b>S1292MY</b>	<a href="#">Learn more</a>
Pedestal mounted drinking fountain with fittings, 70cm high, complete with bottle filler	S5451MY	<b>S1294MY</b>	<a href="#">Learn more</a>
Wall mounted drinking fountain complete with bottle filler and 1¼" strainer waste	S5449MY	<b>S1295MY</b>	<a href="#">Learn more</a>

### KIRN SHOWER PANELS



- S1304MY - Pre-plumbed shower panel with push button self-closing on/off valve
- S1305MY - Pre-plumbed shower panel with lever operated sequential mixing valve
- S1305MY uses TMV3 approved valve A4129AA
- Ideal for high traffic areas such as schools, leisure centres and secure facilities
- Easy to install
- Easy access for future maintenance

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Wall mounted stainless steel shower panel with anti-vandal shower head and self-closing push button shower valve	S7873MY	<b>S1304MY</b>	<a href="#">Learn more</a>
Wall mounted stainless steel shower panel with thermostatic lever operated shower valve	S7872MY	<b>S1305MY</b>	<a href="#">Learn more</a>

### PERTH 2 BACK TO WALL WC BOWL WITH SEAT



- Back to wall, washdown toilet bowl in polished stainless steel
- Particularly suitable for schools and anti-vandal applications
- For concealed cistern use

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
Back to wall WC bowl with seat holes - horizontal outlet	S3442MY	<b>S3340MY</b>	<a href="#">Learn more</a>

### KINLOCH TROUGH URINAL



- Competitively priced trough urinal, complies with HBN 00-10
- Available in 3 standard sizes: 120cm, 180cm, 240cm all with centre outlets
- Two or more urinals may be fitted together on the same wall using stainless steel cover strips or on adjacent walls using a corner plinth (see Accessories)
- Complete with 2" domed strainer waste, complete with flushpipes and autocistern
- Available for exposed or concealed flushpipes
- Two autocisterns may be used on urinals above 240cm

MODEL	PRODUCT CODE (OLD)	PRODUCT CODE (NEW)	IDEALSPEC LINK
120cm long complete with 2" domed strainer waste, central outlet, complete with flushpipes and auto cistern	S6388MY	<b>S1287MY</b>	<a href="#">Learn more</a>
180cm long complete with 2" domed strainer waste, centre outlet, complete with flushpipes and auto cistern	S6389MY	<b>S1288MY</b>	<a href="#">Learn more</a>
240cm long complete with 2" domed strainer waste, centre outlet, complete with pipework and auto cistern	S6390MY	<b>S1289MY</b>	<a href="#">Learn more</a>

## Accessories

### KINLOCH URINAL CORNER PLINTH



MODEL	OLD SKU	NEW SKU
Urinal corner plinth	S6205MY	S1309MY

### NIMBUS 21 1/2" BIB TAPS



MODEL	NEW SKU
1/2" bib taps with anti-vandal outlet (pair)	B1673AA

### NIMBUS 21 1/2" BIB TAPS



MODEL	NEW SKU
1/2" bib taps with anti-vandal spray outlet (pair)	B1675AA

### NIMBUS 21 BIB TAP EXTENSIONS



MODEL	NEW SKU
1/2" x 100mm bib tap extensions (pair)	B1684AA
1/2" x 75mm bib tap extensions (pair)	B1682AA

### WASTE



MODEL	NEW SKU
Waste 1 1/2" unslotted strainer waste, 50mm long, 75mm dia. brass	S8760AA

### SWIVEL WASTES



MODEL	NEW SKU
1/4" brass anti theft swivel plug waste, 80mm slotted tail	S8733AA

### P TRAP OUTLET FOR SLOP HOPPERS



MODEL	NEW SKU
P trap outlet, plastic for slop hoppers	S358401

### FLUSHPIPE FOR SLOP HOPPERS



MODEL	NEW SKU
Flushpipe 850 x 35mm diameter for slop hoppers	S466367

### CONCEALA 2 HIGH LEVEL CISTERN



MODEL	NEW SKU
Conceala 2 high level 6 litre cistern, single flush syphon, side supply, internal overflow, lever with chain	S362667

### KINOLOCH URINAL COVER STRIP



MODEL	OLD SKU	NEW SKU
Urinal cover strip to join separate urinals	S6206MY	S1310MY

### NIMBUS 21 1/2" BIB TAPS



MODEL	NEW SKU
1/2" bib taps with hose union outlet (pair)	B1674AA

### NIMBUS 21 CONCEALED BIB TAP MOUNT



MODEL	NEW SKU
Concealed bib tap wall mount with self centralising installation (pair)	B1686AA

### MARKWIK 1/2" LEVER ACTION BIB TAPS



MODEL	NEW SKU
HBN 00-10 HTM64 (TB H1) Markwik 1/2" lever action bib taps	S8270AA

### SWIVEL WASTES



MODEL	NEW SKU
1/4" brass swivel plug waste, 80mm unslotted tail	S8734AA

### HBN 00-10 HTM64 (WT1 - WT4) WASTES



MODEL	NEW SKU
1 1/2" unslotted strainer waste, 80mm tail	S8726AA
1 1/2" unslotted chain waste, plug and screw stay, 90mm tail	S8768AA

### BOTTLE TRAP



MODEL	NEW SKU
Trap 1 1/2" plastic resealing bottle with 75mm seal, multi-purpose outlet	S892567

### 900MM LEG



MODEL	NEW SKU
Leg 900mm stainless steel to floor (2 required)	S9281MY

### REGAL HIGH LEVEL PLASTIC CISTERN



MODEL	NEW SKU
6 litre single flush cistern, syphon, side supply, internal overflow, metal chain pull with 4 piece plastic flushpipe (fittings are reversible)	S116401

## Guarantee

5 years on stainless steel products.

Our confidence in the quality and reliability of our product allows us to offer outstanding extended guarantees on all our products – where the product fails within 5 years we offer a free replacement or replacement part (or nearest equivalent). So when your washroom has been satisfactorily installed and is working well, please ensure you register your guarantee.

This guarantee is transferable – it applies to the product not the purchaser provided the guarantee registration is passed on to the new owner.

Liability is limited to individual products and the guarantee does not cover the consequential loss or damage or installation costs. This guarantee does not affect your statutory rights. Products must be installed, used and cared for in line with our fixing instructions and local water regulations, and room must be adequately ventilated. Parts (eg. flushvalves) are guaranteed for five years and will be replaced if found to be faulty.

### Armitage Shanks

Armitage,  
Rugeley,  
Staffordshire, WS15 4BT  
Tel 01543 490253  
Fax 01543 491677

### Armitage Shanks Dublin Ltd

3013 Lake Drive,  
Citywest Business Campus,  
Dublin 24  
Tel: 003531 456 4525

*Armitage  
Shanks*

[WWW.IDEALSPEC.CO.UK](http://WWW.IDEALSPEC.CO.UK)  
[WWW.IDEALSTANDARD.CO.UK](http://WWW.IDEALSTANDARD.CO.UK)  
[WWW.IDEALSTANDARD.IE](http://WWW.IDEALSTANDARD.IE)